DOCKET FILE COPY ORIGINAL

WILMER, CUTLER & PICKERING

2445 M STREET N W

WASHINGTON DC 20037-420

TELEPHONE (202) 663-6000 FACSIMILE (202) 663-6363 WASHINGTON
BALTIMORE
NEW YORK
LONDON
BRUSSELS
BERLIN

RECEIVED

November 18, 2003

NOV 1 8 2003

FEDERAL COMMUNICATIONS COMMISSION OFFICE OF THE SECRETARY

Ms. Marlene H. Dortch, Secretary Federal Communications Commission Office of the Secretary 445 12th Street, S.W. Washington, D.C 20554

RE: Petitions of WorldCom, Inc. and AT&T Communications of

Virginia, Inc. Pursuant to Section 252(e)(5) of the

Communications Act for Preemption of the Jurisdiction of the

Virginia State Corporation Commission Regarding

Interconnection Disputes with Verizon Virginia Inc., and for Expedited Arbitration, CC Docket Numbers 00-218 & 00-251

Dear Ms. Dortch

Enclosed for filing please find an original and four copies of Verizon Virginia Inc.'s Reply to AT&T/WorldCom Compliance Filing in the above-referenced proceeding. I am also providing an additional copy to be file-stamped and returned to me.

Please do not hesitate to contact me at 202.663.6455 should you have any questions.

Sincerely,

Lynn Charytan

John maker bor L C.

No of Cabics roots Of 4
List AZCOE

RECEIVED

NOV 1 8 2003

FEDERAL COMMUNICATIONS COMMISSION OFFICE OF THE SECRETARY

Marlene H. Dortch Secretary Federal Communications Commission

ORIGINAL

Before the FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

NOV 1 8 2003

FEDERAL COMMUNICATIONS COMMISSIO
OFFICE OF THE SECRETARY
) CC Docket No. 00-218
)
)
)
)
)
) CC Docket No. 00-249
) CC Docket No. 00-251
,)
)

VERIZON VIRGINIA INC.'S REPLY TO AT&T/WORLDCOM COMPLIANCE FILING

Verizon Virginia Inc. ("Verizon VA") hereby replies to the compliance filing submitted by AT&T/WorldCom in the above-referenced proceeding. As a threshold matter, AT&T/WorldCom's compliance filing cannot make up for the fact that the CLECs' non-recurring cost model is inherently flawed and should not have been selected at all. In particular, the model improperly shifts most non-recurring costs to recurring rates, and thereby requires Verizon VA to bear the financial risk of the CLECs' entry. And the model drastically understates even the costs it does estimate, leading to substantial underrecovery of Verizon VA's costs and further subsidizing the CLECs. The compliance filing does nothing to correct these deficiencies: although it now includes seven additional non-recurring rates, those rates are

unsupported and understated, and the model still fails to account for dozens of rates that relate to very real non-recurring costs that Verizon VA does and will incur.

1. AT&T/WorldCom's Non-Recurring Model Is Inconsistent with Commission

Precedent and Basic Principles of Cost Recovery. As the August 29, 2003 Memorandum

Opinion and Order (the "Order") itself recognizes, AT&T/WorldCom's model "recovers more costs through recurring charges" even though those costs are non-recurring in nature. Order ¶

584. The Commission's rules and decisions, however, firmly establish that UNE costs should be recovered in the manner they are incurred. Indeed, with respect to non-recurring costs in particular, the Commission has consistently recognized that "LECs should . . . recover through an NRC their full one-time costs of providing, terminating or modifying a[] . . . service. This is consistent with our policies encouraging the recovery of costs from cost causers and would reduce the subsidy of short-term users by longer term customers."

J

By shifting non-recurring costs to recurring rates, AT&T/WorldCom's model requires

Verizon VA to bear the CLECs' risk of entry. But as the Commission previously has found,

"LECs should not be forced to underwrite th[is] risk.". This sends artificial and incorrect

economic signals to CLECs, and promotes inefficient entry. In addition, it virtually ensures

underrecovery of Verizon VA's costs. Verizon VA will incur its non-recurring costs upfront,

now, and will only recover them, if at all, over time, in periodic payments from an ever-changing

Memorandum Opinion and Order, Investigation of Interstate Access Tariff Non-Recurring Charges, 2 FCC Rcd 3498, 3501-02 ¶¶ 32-33 (1987) ("Non-Recurring Charges Order"); see also id. 3499 ¶ 12, 3502 ¶ 35; First Report and Order, Implementation of the Telecommunications Act of 1996, 11 FCC Rcd 15499, 15874 ¶ 743 (1996) ("Local Competition Order").

Second Report and Order, Local Exchange Carriers' Rates, Terms, and Conditions for Expanded Interconnection through Physical Collocation for Special Access and Switched Transport, 12 FCC Rcd 18730, 18750 ¶ 33 (1997).

group of CLECs. In effect, the *Order* requires Verizon VA to act as the CLECs' banker, extending interest-free credit. To even begin to produce adequate recovery would require estimating how long the average customer will take service — an uncertain exercise that will seriously increase Verizon VA's risk. And that risk is particularly acute, given the high rate of churn among CLEC customers. As MCI itself noted, nearly 50% of its customers turn over within three months.^{3/} The continued spate of CLEC bankruptcies only exacerbates this risk.

Further, the idea that the recurring rates set by the *Order* somehow cover non-recurring costs makes no sense. The CLECs' modified universal service model understates loop costs, and the *Order*'s radically low high capacity loop rates do not even purport to be based on costs. Moreover, Verizon VA's recurring cost models for all the remaining UNEs -- including switching, transport, subloops, dark fiber, and others -- were never designed to recover non-recurring costs.

Even where AT&T/WorldCom agree that the costs for certain tasks should be recovered on a non-recurring basis, their model significantly understates the relevant costs. For this reason, as well, the model should have been rejected. While the Commission has recognized that incumbents have a right to recover their one-time costs of "providing, terminating or modifying a[]... service," *Non-Recurring Charges Order* at 3501-02 ¶¶ 32-33, and has rejected claims that hypothetical TELRIC assumptions are a basis to deny such recovery, ^{4/} AT&T/WorldCom's

Report and Order and Order on Remand and Further Notice of Proposed Rulemaking, Review of the Section 251 Unbundling Obligations of Incumbent Local Exchange Carriers, CC Docket Nos. 01-338, 96-98, 98-147, FCC 03-36, ¶ 471 (re. Aug. 21, 2003) ("Triennial Review Order").

Local Competition Order at 15692 ¶ 382; Third Report and Order and Fourth Further Notice of Proposed Rulemaking, Implementation of the Local Competition Provisions of the Telecommunications Act of 1996, 15 FCC Rcd 3696, 3784 ¶ 193 (1999); Reply Brief for Petitioners United States and the FCC, Verizon Communications, Inc. v. FCC, Nos. 00-511 et al.,

model is flatly inconsistent with this precedent. Their model is based on extreme hypothetical assumptions that drive rates down well below cost.

For example, while the Commission's rules require that rates be based on only "currently available" technology, 47 C.F.R. § 51. 505(b)(1); Triennial Review Order ¶ 670 n.2020, the Order itself acknowledges that AT&T/WorldCom model instead assumes technology that is merely "theoretically feasible," even if it is not actually available at all. Order ¶ 568. Thus, AT&T/WorldCom's model reduces non-recurring costs based on the premise of "theoretically feasible" OSS and other technologies that allegedly would allow most tasks to be performed in an automated fashion. But such technology does not actually exist, and no carrier can achieve the idealistic 2% fallout AT&T/WorldCom hypothesize. Of course, the hypothetical assumptions themselves are based solely on the subjective opinion of the CLECs' subject matter experts, who do not have any experience provisioning UNEs; their proposals thus are not constrained by any real-world considerations. The result is not just hypothetical technological assumptions, but time and frequency estimates that are well below the real-world times and frequencies of performing relevant tasks. Based on these various fictions, AT&T/WorldCom's model precludes Verizon VA from recovering the very one-time costs that the Commission has declared incumbents have a right to recover.

2. AT&T/WorldCom's Compliance Filing Does Nothing to Correct These

Shortcomings. The Bureau invited AT&T/WorldCom to submit certain non-recurring rates that were absent from their model as part of their compliance filing. That compliance filing does nothing to redress the serious shortcomings described above. In fact, it underlines them:

at 10 n.7 (July 2001) ("FCC Reply Br.") ("[T]he [] suggestion . . . that TELRIC authorizes regulators to require incumbents to modify, 'for free,' loops to facilitate certain advanced services ignores express FCC directions to the contrary.") (citations omitted).

AT&T/WorldCom's original model included only 31 NRCs (plus another 18 separately stated disconnection NRCs); their compliance adds another seven. Yet Verizon VA proposed rates for 115 non-recurring tasks. See Order ¶¶ 581-82. And the seven new rates AT&T/WorldCom do submit simply reaffirm that the CLECs' non-recurring cost model is inherently unreliable. In developing the new non-recurring rates that the Order required, AT&T/WorldCom used times and work activities that are simply created out of thin air. They provide no empirical or objective support for these inputs: instead, they rely on nothing more than a citation to the speculations of their so-called subject matter experts -- paid consultants who have never even provisioned UNEs.

As Verizon VA witness Louis Minion explains in the attached declaration, for example, the *only* support AT&T/WorldCom provide for their proposed Manual Loop Qualification rate is the assertion that "modern databases" "*should*" make it possible to pull loop makeup information manually and transmit it to a CLEC in only half an hour. AT&T/WorldCom do not identify the allegedly relevant databases or systems, nor do they submit any testimony explaining how the time savings is accomplished. *See* Minion Decl. ¶ 6. This type of baseless assertion exemplifies the fundamental flaw with respect to *all* of the rates produced by the CLECs' model, not just the new ones the *Order* requires: the rates reflect no informed estimate of the real-world forward-looking costs of performing the non-recurring work activities that are required to provide UNEs.

As Mr. Minion further demonstrates, AT&T/WorldCom's proposed non-recurring rates also ignore various necessary tasks altogether, and understate the times needed to perform even those that they recognize. For example, as Mr. Minion shows, AT&T/WorldCom omitted several steps necessary with respect to generate an engineering work order. *See id.* ¶ 12, Attach. A at 4. And their proposed rate for load coil removal accounts only for the time of field

technicians, and simply disregards the time that would be involved in planning the job and dispatching the field technicians, which is done by other employees. *See id.* ¶ 16. The load coil removal rate also reflects significantly understated work times that are inconsistent with AT&T/WorldCom's own assumptions: in one case, they include the time for two technicians for two-thirds of a job, and then just assume away the existence of that technician, who would nonetheless be out on the job site, for the remainder of the time. *Id.* ¶¶ 16-21.

3. AT&T/WorldCom's Model Improperly Includes Non-Recurring Rates for Resale.

AT&T/WorldCom have proposed non-recurring charges for total service resale.

AT&T/WorldCom's testimony before the Bureau did not advocate separate non-recurring charges for resale. Nor would this make sense: The Order adopts Verizon's methodology (with only minor changes) for calculating resale rates, Order ¶ 674, 693, 697, and Verizon's methodology (and the resulting resale discount) already accounts for any avoided non-recurring costs. See Minion Decl. ¶ 25. It thus would make no sense to further reduce the rates for non-recurring retail services. In any event, AT&T/WorldCom's resale-related non-recurring rates would be invalid: those rates, like AT&T/WorldCom's other non-recurring rate proposals, are based on its interpretation of the TELRIC rules for UNE rates. But as the Order itself specifically noted, TELRIC is relevant only to pricing of UNEs, not resale. Order ¶ 674. Resale under the plain language of 47 U.S.C. § 252(d)(3), turns on the "retail rates charged to subscribers." Accordingly, the Bureau should reject the non-recurring charges for resale from AT&T/WorldCom's compliance filing.

4. Non-recurring costs should be recovered from the CLEC that causes them, regardless of whether some other carrier might benefit in the future. The Bureau invited the parties to consider "a method to implement . . . cost sharing" for conditioning on the theory that

the work "may in the future benefit other competitive LECs, or Verizon's own xDSL service." Order ¶ 644. Such cost sharing is inappropriate. The CLEC that causes the cost and enjoys the benefit of the service provision should bear that cost. Any method of cost sharing that shields the CLEC from the costs it causes the ILEC to incur would send incorrect economic signals about the costs of entry and customer acquisition and would shift the risks of entry from the CLEC to the ILEC. In any event, as even AT&T/WorldCom acknowledge, there is no administrable or reliable means for implementing cost sharing in a way that ensures that each carrier bears an appropriate share of costs.

Submitted by,

Lynn R. Charytan Samir C. Jain Wilmer, Cutler & Pickering 2445 M Street, NW

Washington, DC 20037-1420

(202) 663-6000

Michael E. Glover

Karen Zacharia

Leslie V. Owsley

Donna M. Epps

Verizon

1515 North Court House Road

Michael E. Slaver/so

Fifth Floor

Arlington, VA 22201

(703) 351-3100

Dated: November 18, 2003

CERTIFICATE OF SERVICE

I, John Meehan, do hereby certify that true and accurate copies of the foregoing, Verizon Virginia Inc.'s Reply to AT&T/ WorldCom Compliance Filing, were served by hand delivery via courier this 18th day of November, 2003, to:

Tamara Preiss
Federal Communications Commission
Pricing Policy Division
Wireline Competition Bureau
445 12th Street, SW
Washington, D.C. 20554

Steven Morris
Federal Communications Commission
Pricing Policy Division
Wireline Competition Bureau
445 12th Street, SW
Washington, D.C. 20554

Allen Feifeld, Esq. Kimberly Wild WorldCom, Inc. 1133 19th Street, N.W. Washington, D.C. 20036

David Levy Sidley, Austin, Brown & Wood 1501 K Street, N.W. Washington, D.C. 20005

Mark Schneider Jenner & Block LLC 601 Thirteenth Street, N.W. Washington, D.C. 20005 Mark A. Keffer Dan W. Long Stephanie Baldanzi AT&T 3033 Chain Bridge Road Oakton, Virginia 22185

John Meehan

Before the FEDERAL COMMUNICATIONS COMMISSION Washington, D.C. 20554

In the Matter of Petition of WorldCom, Ir	ic.)	
Pursuant to Section 252(e)(5) of the)	CC Docket No. 00-218
Communications Act for Preemption)	
of the Jurisdiction of the Vırginia State)	
Corporation Commission Regarding)	
Interconnection Disputes with)	
Verizon Virginia Inc., and for)	
Expedited Arbitration)	
)	
In the Matter of Petition of AT&T)	
Communications of Virginia, Inc.,)	CC Docket No. 00-251
Pursuant to Section 252(e)(5) of the)	
Communications Act for Preemption)	
of the Jurisdiction of the Virginia State)	
Corporation Commission Regarding)	
Interconnection Disputes with)	
Verizon Virginia Inc., and for)	
Expedited Arbitration)	

DECLARATION OF LOUIS MINION

- 1. My name is Louis Minion. My business address is 1095 Avenue of the Americas, New York, New York. I am Director Financial Planning and Analysis in the Service Costs organization, which is part of the Finance Department at Verizon. The Service Costs organization is responsible for developing costs for services provided by Verizon. I am responsible for economic analyses and cost studies for Verizon's products and services. In particular, I supervise the conduct of non-recurring cost studies, and I also provide other regulatory support.
- 2. I have over 20 years of experience with Verizon and its predecessor companies. I began my career with New York Telephone Company in June 1982 as an Outside Plant Engineer, where I was primarily responsible for trouble report rate analysis, outside plant mechanization projects, budgets, estimate case preparation and work orders.

In September 1986, I was promoted to the position of Staff Director in the Service Costs organization. In this position, I worked on special studies related to outside plant facilities before embarking on a special 11-month internship program at Bellcore in 1987. From August 1988 through December 1994, I worked on customer-specific pricing requests for large business users. In January 1995, I assumed responsibility for various aspects of cost study, cost study witnessing and other support associated with predominantly wholesale products. In August 2002, I assumed my current responsibilities in Service Costs.

- 3. I hold a Bachelor of Science degree in Applied Mathematics from Columbia University, which I earned in 1982, and a Master of Science degree in Mechanical Engineering from the New Jersey Institute of Technology, which I earned in 1989. In addition, I have attended many courses and seminars on relevant topics, including courses at the University of Maryland University College, Duke University Fuqua School of Business, and the Brookings Institute.
- 4. The purpose of my declaration is to respond to AT&T/WorldCom's compliance filing submitting non-recurring charges. I demonstrate that the rates submitted by AT&T/WorldCom are substantially below any realistic measure of efficient forward-looking costs because AT&T/WorldCom have omitted critical steps required to perform the activities they model and have made unsupported and nonsensical or inconsistent assumptions about the steps they do include. As a result, they have significantly underestimated the times required to perform the non-recurring activities.
- Verizon VA has filed an application for review of the Wireline
 Competition Bureau's August 29, 2003 Order in the above-referenced case, as well as a

motion for stay, with the Commission. As described in those filings, the *Order's* decisions with respect to non-recurring charges prejudge major policy issues now under consideration by the full Commission. In addition, a number of aspects of the *Order* are contrary to both Commission precedent and the record in this proceeding. Although AT&T/WorldCom's compliance NRCs suffer from the flaws Verizon VA has already identified in these filings, I do not repeat those arguments here. Instead, my declaration focuses on the new non-recurring rates submitted by AT&T/WorldCom for elements for which they had previously not provided rates.

- have provided no support for the non-recurring charges they submit for performing manual loop qualifications and engineering queries. Instead the "assumption" on which they base their time for both activities is a single sentence from their Reply Testimony: "Given modern databases and recordkeeping systems, it should not take any longer, on average, than half an hour for an engineering assistant to pull loop makeup information manually and fax or otherwise transmit that information to a competitor."

 AT&T/WorldCom NRC Panel Reply Testimony at 169. This is sheer speculation.

 AT&T/WorldCom provide no testimony or other evidence showing what database or record-keeping system could be used in performing these activities, what it would cost to purchase or install, or what it would cost to develop software to operate the system and to populate it with data.
- 7. In addition, it is clear that AT&T/WorldCom omit critical steps that are required to perform a manual loop qualification and an engineering query. For example, AT&T/WorldCom start the process by stating that Engineering or an Engineering Clerk

will "Pull and analyze order..." But nowhere do they account for the submission or processing of such an order, including any orders that may fall out for manual handling or correction. The charge for access to OSS included in the *Order* covers the costs of access to the electronic systems, but does not include any time for those instances where manual handling might be required; that time must be reflected in these activities.

- 8. Moreover, AT&T/WorldCom propose the same rate (based on the same time estimate) for both a manual loop qualification and for an engineering query. But the two activities are not the same. A manual loop qualification provides CLECs with the loop length and an indication whether the loop is qualified for DSL services. In addition, if the loop is not qualified, the response to a manual loop qualification provides the reason not qualified. The information returned to the CLEC in response to an engineering query is more detailed than the information returned in response to a loop qualification request. With an engineering query, Verizon VA provides a full loop make-up, including loop length, type of facility, cable gauge for each section of the loop, location of any load coils, and location and length of any bridged tap.

 AT&T/WorldCom, however, do not differentiate at all in the time required to perform these two activities.
- 9. For all of these reasons, it is clear that AT&T/WorldCom's proposed non-recurring charges for Manual Loop Qualifications and Engineering Queries substantially understate the forward-looking costs of these activities. As explained in its application for review, Verizon VA disagrees with the *Order's* decision to adopt the AT&T/WorldCom model. But if that model is used, it must at least reflect the steps required to perform the non-recurring activities. Attachment A to my declaration, at

- pages 2-3, demonstrates the steps that AT&T/WorldCom have omitted from these activities, and the times required to perform them. Page 1 to that Attachment shows the costs that would result if these times, multiplied by AT&T/WorldCom's assumed labor rates, were included in the non-recurring charge. While these adjustments do not "correct" the AT&T/WorldCom model or make it adequate for developing non-recurring costs, they at least reflect the steps that must actually occur to perform the non-recurring activity. Accordingly, AT&T/WorldCom's proposed rates should be rejected, and rates based on Verizon VA's time estimates should be adopted instead.
- steps required to generate an engineering work order. Moreover, the times estimated for the steps they have included are contradicted by their own testimony in this proceeding. As a result, they have substantially understated the time required to perform this activity. For example, AT&T/WorldCom's first step is "Design work requirements ... after research of cable plat(s); draw schematic of work required including outside plant locations." AT&T/WorldCom allow 10 minutes for this step. This is woefully inadequate. As AT&T/WorldCom stated in their Reply Testimony, "Research of cable plats should not take more than a half-hour for deloading (three to four load locations) and/or unbridging (one to three bridged tap locations)." AT&T/WorldCom NRC Panel Reply, Att. A ¶ 29. As a result, the time to generate an engineering work order must be increased by at least 30 minutes in order to include the critical step of researching the cable plats.
- 11. Moreover, AT&T/WorldCom drastically understate the time required to perform the remaining activities in their first step. According to AT&T/WorldCom, it

takes only 10 minutes to design the work requirements and draw the schematic of the work required. This is not possible today, and hypothetical future designs that are not currently available should not be included in cost studies and UNE rates. In addition, AT&T/WorldCom's suggestion that engineers could use simple "fill in the blanks" diagrams, AT&T/WorldCom NRC Panel Reply Testimony, Att. A ¶ 31, is unrealistic and contradicted by their own insistence that Verizon VA should keep its plant records updated. *See, e.g.,* AT&T/WorldCom NRC Panel Reply Testimony at 164. When Verizon VA prepares an engineering work order to remove bridged tap, for example, a more detailed schematic of the work location and adjacent cable sections is necessary to keep the cable plats as up to date as possible. Moreover, if there are working lines on both branches of a bridged cable facility, Verizon VA must locate spare facilities in order to engineer the transfer of one set of working lines to a different cable in order to remove the bridged tap from the requested loop. Ten minutes to perform all of these tasks is clearly insufficient.

- 12. Attachment A, page 4, to my declaration demonstrates the steps for generating an Engineering Work Order that AT&T/WorldCom have omitted, and the times required to perform these activities. Page 1 shows the costs that would result if these times, multiplied by AT&T/WorldCom's assumed labor rates, were included in the non-recurring charge. Accordingly, AT&T/WorldCom's proposed rate should be rejected, and a rate based on Verizon VA's time estimates should be adopted instead.
- 13. <u>Line Sharing Connect and Disconnect</u>: AT&T/WorldCom understate the costs associated with these non-recurring activities because they make unrealistic assumptions about how long it will take to perform the work required. For example, for

connecting a linesharing arrangement, the AT&T/WorldCom model assumes that it takes only one minute each to run two cross-connections: one from the cable and pair appearance on the frame to the CLEC's equipment and the other from the CLEC's equipment to the Verizon office equipment appearance on the frame. That makes no sense: unless Verizon VA had technicians stationed at numerous locations around every frame just waiting to install a cross-connect (a gross inefficiency to which AT&T/WorldCom would, no doubt, object), it may well take more than a minute simply to locate the appropriate location on the frame for the customer that needs to be cut over. Verizon VA's data, based on surveys of workers who actually install cross-connects, showed that running the cross-connections to the CLEC frame (including performing a continuity test) in fact takes an average of 8.5 minutes. See Verizon NRC Model at Tab 123, CO Frame, Line 11. Verizon VA's time is quick and efficient; AT&T/WorldCom's is simply unrealistic.

14. In addition, AT&T/WorldCom omit steps that are necessary to perform these functions. For example, they do not include any time for receiving and processing the CLECs' orders to connect or disconnect linesharing. While the costs of the electronic interfaces are included in the charge for access to OSS, the costs of manual processing in those instances when the order falls out are not covered there, and need to be included here. Similarly, AT&T/WorldCom have omitted any time for the RCCC, which facilitates the provisioning of the CLECs' orders (for example, where linesharing is to be provisioned on a newly installed voice line, the RCCC makes sure the line has been installed) and communicates with the CLECs, if necessary, concerning the provisioning of their orders.

- AT&T/WorldCom have omitted from the non-recurring activities necessary for connecting or disconnecting a linesharing arrangement, respectively, and the times required to perform these activities. Page 1 shows the costs that would result if these times, multiplied by AT&T/WorldCom's assumed labor rates, were included in the non-recurring charge. Accordingly, AT&T/WorldCom's proposed rates should be rejected, and rates based on Verizon VA's time estimates should be adopted instead.
- 16. <u>Load Coil Removal</u>: AT&T/WorldCom's proposed rate for load coil removal should be rejected. First, the rate assumes that only field technician time would be involved in completing a load coil removal job. But this is incorrect.

 AT&T/WorldCom omit any time for the construction management center, which plans the work in the most efficient manner given available resources and dispatches the field technicians.
- 17. Moreover, the times for the field technicians themselves are unsupported, understated, and nonsensical. AT&T/WorldCom's model assumes that a load coil removal job will require work at three locations, with the first two being underground manhole locations and the third an aerial or buried location. See AT&T/WorldCom NRC Panel Reply at 168, Attach. A. ¶ 11. AT&T/WorldCom hypothesize that it should take 20 minutes for the field technicians to travel to each underground splice location involved in the load coil removal job; because they assume two technicians, this results in their assumption of 80 minutes total for the underground work for this task. See AT&T/WorldCom NRC Panel Reply at 168, Attach. A. ¶ 11.

- from the second location to the third location. But the third location is as far from the second location as the second location is from the first. See AT&T/WorldCom NRC Panel Reply Testimony, Att. A ¶ 11. AT&T/WorldCom do not explain why it should take only half as long to drive the same distance. Further, AT&T/WorldCom account for only one technician's time at the third location. Id. But the second technician is already out on the job and that employee's time cannot just be disregarded. Since "Beam me up, Scotty" is not a technology that is currently available, AT&T/WorldCom's estimates, and the resulting rate, must be increased to reflect one of three realistic scenarios: 1) inclusion of the second technician's time at the third location; 2) inclusion of time for the technicians to drive back to the central office or garage to drop off one technician and then have the other technician drive to the third site; or 3) inclusion of costs of a second truck to allow the second technician to go on to another job while the first technician goes to the third location.
- 19. Moreover, Verizon VA's survey of the field technicians who actually travel to the relevant locations demonstrates that it takes on average approximately 80 total minutes for two technicians just to travel to a single location for underground work (and 160 minutes for two locations). See Verizon NRC Model at Tab 74, OSP OPERATIONS/LOGISTICS, Line 1 divided by three (since three underground locations are included in that tab). AT&T/WorldCom provide no basis for the claim that travel time could somehow be cut in half in a forward-looking environment.
- 20. More generally, AT&T/WorldCom propose unrealistic and unsupported work times for virtually all the tasks the technicians must perform once they reach the

relevant locations. For example, AT&T/WorldCom hypothesize that two technicians can pump and ventilate a manhole in 15 minutes (for a total of 30 minutes of time). See AT&T/WorldCom NRC Panel Reply Testimony, Att. A ¶ 11. But that would be true, if at all, only in the ideal case. In the real world, technicians must deal with obstacles such as extensive flooding or other difficulties. As a result, Verizon VA's data demonstrates that the average time needed for two technicians to pump and ventilate a manhole is approximately 35 minutes (for a total of 70 minutes of time). See Verizon NRC Model at Tab 74, OSP OPERATIONS/LOGISTICS, Line 4 divided by three (since three underground locations are included in that tab).

- 21. Attachment A, pages 5-6, to my declaration demonstrates the steps required for removing load coils that AT&T/WorldCom have omitted, and the times required to perform these activities. Page 1 shows the costs that would result if these times, multiplied by AT&T/WorldCom's assumed labor rates, were included in the non-recurring charge. Accordingly, AT&T/WorldCom's proposed rate should be rejected, and a rate based on Verizon VA's time estimates should be adopted instead.
- 22. <u>Bridged Tap Removal</u>: AT&T/WorldCom also use internally inconsistent time assumptions in developing their proposed charge for bridged tap removal. For example, AT&T/WorldCom assert that bridged tap removal will occur only at aerial and buried locations, because "bridged tap should not exist in underground feeder cable close to the central office." AT&T/WorldCom Compliance Testimony at 7. Yet AT&T/WorldCom account for only 20 minutes of travel time in their rate (assuming one technician). See AT&T/WorldCom NRC Panel Reply at 168, Attach. A. ¶ 12. Given AT&T/WorldCom's own travel time assumptions described above for load coil removal,

however, this makes no sense. As described above, AT&T/WorldCom assume it will take 20 minutes to get from the central office to the first underground feeder cable location, which is "close to the central office" -- AT&T/WorldCom Compliance Testimony at 7 -- and then 20 minutes to get to the second location and at least 10 minutes to get from there to the aerial or buried location. If this is so, it cannot take only 20 minutes to get all the way out to the third location -- the same amount of time that it takes to get to the location that is the closest to the central office. AT&T/WorldCom's bridge tap removal rate accordingly must be revised to include at least 50 minutes of travel time.

- 23. Attachment A, page 7, to my declaration demonstrates the steps required for removal of bridged taps that AT&T/WorldCom have omitted, and the times required to perform these activities. Page 1 shows the costs that would result if these times, multiplied by AT&T/WorldCom's assumed labor rates, were included in the non-recurring charge. Accordingly, AT&T/WorldCom's proposed rate should be rejected, and a rate based on Verizon VA's time estimates should be adopted instead.
- 24. AT&T/WorldCom's compliance filing is flawed in other respects as well. AT&T/WorldCom have included non-recurring charges for elements that are not offered by Verizon VA and which Verizon VA has no plans to offer. For example, AT&T/WorldCom include non-recurring charges for a migration (hot cut) for DS1 or DS3 circuits to a customer's premises. Verizon VA does not offer hot cuts for DS1s or DS3s.
- 25. In addition, AT&T/WorldCom have proposed non-recurring charges for total service resale. But for resale of services, the appropriate non-recurring charge is the

retail NRC minus the avoided cost discount. In calculating the avoided cost discount for resale of services, this is the methodology Verizon VA followed, and which the *Order* adopted with only minor changes. *Order* ¶ 693, 697. Establishing separate non-recurring charges for resold services, as AT&T/WorldCom have done, would require revisions to the entire avoided cost study, contrary to the terms of the *Order*. Consequently, these proposed rates should be rejected.

- 26. Moreover, as Verizon VA explained in its application for review, AT&T/WorldCom fail to include rates for numerous non-recurring tasks that Verizon VA does perform. AT&T/WorldCom's model includes only 31 NRCs (plus another 18 separately stated disconnection NRCs), and their compliance filing adds another seven (one of which is a separately stated disconnection NRC). Yet Verizon VA proposed rates for 115 non-recurring tasks. See Order ¶¶ 581-82. AT&T/WorldCom's model thus clearly does not fully account for all of the relevant non-recurring costs, and it should have been rejected by the Order on this basis alone.
- 27. Finally, AT&T/WorldCom decline to propose any cost sharing arrangement "to recapture previously paid non-recurring charges." AT&T/WorldCom Compliance Decl. at 10 AT&T/WorldCom state that designing any such system raises "any number of difficult questions," *id.*, and would be "complex[]." *Id.* at 13. Verizon VA has previously explained that any cost sharing arrangement would be inappropriate, since the CLEC first requesting the service causes Verizon VA to incur the cost of that activity. Moreover, as AT&T/WorldCom state, the attempt to design such a system would raise difficult and complex questions. Verizon VA therefore agrees that no such arrangement should be established.

28. This concludes my declaration.

I declare under penalty of perjury under the laws of the United States of America that the foregoing is true and correct.

Executed on November 14, 2003

Louis D. Minion

NON-RECURRING ELEMENTS - COMPARISON

MINUTES	AT&T/MCI NRCM	Omitted Functional Steps	Other Omissions (See Notes)	AT&T/MCI NRCM Plus Omissions	VZ-VA Times as Filed	AT&T/MCI Assumed Labor Rate
Manual Loop Qualification	30 00	32 65	-	62 65	122 47	\$47 25
Engineering Query	30 00	32 65	-	62 65	149 51	\$47 25
Engineering Work Order (1)	30 00	403 49	30 00	463 49	695 72	\$47 25
Load Coil Removal (2)	422 50	104 54	45 25	572 29	1,303 01	\$48 94
Bridged Tap Removal (3)	54 50	44 38	101 25	200 13	307 09	\$48 94
Line Sharing Connect w/o Prem Visit	8 10	37 99	-	46 09	59 66	\$40 66
Line Sharing Connect w/ Prem Visit	8 10	183 97	-	192 07	205 64	\$40 66
Line Sharing Disconnect	7 60	2 59	-	10 19	15 66	\$40 66

- NOTES (1) Research of Cable Plats
 - (2) Inclusion of Second Technician and 20 minutes drive time to third location
 - (3) Inclusion of additional 30 minutes drive time to aerial/buried location plus recognition of underground work required for bridged tap removal for 18% of time

COSTS* WITHOUT OVERHEAD	AT&T/MCI NRCM	Omitted Functional Steps	Other Omissions (See Notes)	AT&T/MCI NRCM Plus Omissions	VZ-VA Times as Filed
Manual Loop Qualification	\$23 63	\$25 71	-	\$49 34	\$96 44
Engineering Query	\$23 63	\$25 71	-	\$49 34	\$117 74
Engineering Work Order	\$23 63	\$317 75	\$23 63	\$365 00	\$547 88
Load Coil Removal	\$344 62	\$85 27	\$36 91	\$466 80	\$1,062 82
Bridged Tap Removal	\$44 45	\$36 20	\$82 59	\$163 24	\$250 48
Line Sharing Connect w/o Prem Visit	\$5 49	\$25 75	-	\$31 24	\$40 43
Line Sharing Connect w/ Prem Visit	\$5 49	\$124 67	-	\$130 16	\$139 36
Line Sharing Disconnect	\$5 15	\$1 76	-	\$6 91	\$10 61
COCTO: WITH MY OVERHEAD	AT&T/MCI	Omitted Functional	Other Omissions	AT&T/MCI NRCM Plus Omissions	VZ-VA Times as Filed
COSTS* WITH 8% OVERHEAD Manual Loop Qualification	NRCM \$25 52	Steps \$27 77	(See Notes)	\$53 28	\$104 16
Engineering Query	\$25 52	\$27 77	\$25 52	\$53 28	\$127 16
Engineering Work Order	\$25 52	\$343 17		\$394 20	\$591 71
Load Coil Removal	\$372 19	\$92 09	\$39 86	\$504 14	\$1,147 85
Bridged Tap Removal	\$48 01	\$39 10	\$89 19	\$176 30	\$270 52
Line Sharing Connect w/o Prem Visit	\$5 93	\$27 81	-	\$33 73	\$43 67
Line Sharing Connect w/ Prem Visit Line Sharing Disconnect	\$5 93 \$5 56	\$134 65 \$1 90	-	\$140 58 \$7 46	\$150 51 \$11 46

^{*} All costs are determined by taking identified time multiplied by AT&T/MCl NRCM Labor Rate

Manual Loop Qualification

Assumptions

Source of assumptions AT&T/WCom NRC Panel Reply (at p. 168), unless otherwise noted Labor charged at the rate for FMAC (Source for Rate. AT&T/WCom NRCM Input Records, General Labor Rates)

Step Na	Step Description	Time (minutes)	Probability	Labor Rate (\$/hour)	Cost without Overhead	VERIZON Fwd- Looking Time *
501	(Engineering clerk) Pull and analyze order, pull loop makeup information manually and transmit that information to competitor	30	100%	\$47 25	\$23 63	89 8
	Total Cost (without overhead)	30			\$23 63	122 5
VERIZON	NMC to Receive Local Service Request from the CLEC and					
	print, review, type and confirm the order request for changes in existing account					0 31
VERIZON	NMC to respond to and/or change CLEC's pending Local					1 01
VERIZON	Service Request RCCC to perform administrative checks					6 42
	RCCC to verify dispatch and coordinate appropriate testing					
	with the dispatched technician					6 17
	RCCC to update work activity in required systems					13 36
VERIZON	RCCC to log DMARC order information and/or testing results in WFA/C					5 38
VERIZON	FMC receives and reviews the loop qualification form from					
	the RCCC for those circuits that could not be tested and					
	those lines that qualified for the requested service				In Step 501	6 52
VERIZON	FMC assigns task to Engineering Clerk to check paper					2.55
	records				In Step 501	3 55 6 34
	FMC receives and reviews Notice for Manual Inquiry				In Step 501	6 34
VEHIZON	FMC researches the LFACS database for terminal location, cable count, and telephone number(s)				In Step 501	9 99
VERIZON	FMC reviews cross-reference dictionary for plat number(s)				In Step 501	4 93
	FMC pulls cable plat(s) for aerial and underground route				In Step 501	6 85
	FMC determines from the cable plat(s) the loop length by				•	
	calculating the distance from the central office to the serving					
	terminal				In Step 501	16 27
VERIZON	FMC determines from the cable plat(s) the presence or					
	absence of load coils, bridged taps or whether facilities are					
	on DLC				In Step 501	12 24
VERIZON	FMC enters LMU and count qualifier codes into LFACS and				In Step 501	5 91
VEDIZON	LIVEWIRE				In Step 501	4 49
	FMC posts information to the loop qualification form FMC forwards loop qualification form to the Engineer for				ar Otop 50 i	7 70
VI.I II ZON	review				In Step 501	3 28
VERIZON	FMC reviews and analyzes data supplied by the Engineering	1				=-
	Clerk and posts to the loop qualification form	•			In Step 501	5 80
VERIZON	FMC returns completed loop qualification form to the NMC				In Step 501	3 64

^{*} Verizon Forward-Looking Time equals Current Time x Typical Occurrence Factor x Forward-Looking Adjustment Factor

ND NRCS ATTACHMENT A
DECLARATION OF LOUIS MINION
CC DOCKET NOS. 00-218, 00-249 AND 00-251
NOVEMBER 18, 2003

Engineering Query

Assumptions

Source of assumptions: AT&T/WCom NRC Panel Reply (at p. 168), unless otherwise noted

Labor charged at the rate for FMAC (Source for Rate AT&T/WCom NRCM Input Records, General Labor Rates)

		_		Labor		VERIZON Fwd-
Step No	Step Description	Time (minutes)	Probability	Rate (\$/hour)	Cost without Overhead	Looking Time *
Olop 110	Otop Boosipilan	((4	010111044	111110
	(Engineering) Pull and analyze order, pull loop makeup information manually and					
501	transmit that information to competitor	30	100%	\$47 25	\$23 63	116 9
	Total Cost (without overhead)	30			\$23.63	149.5
VERIZON	NMC to Receive Local Service Request from the CLEC and print, review, type and					
	confirm the order request for changes in existing account					0 31
VERIZON	NMC to respond to and/or change CLEC's pending Local Service Request					1 01
	RCCC to perform administrative checks					6 42
VERIZON	RCCC to verify dispatch and coordinate appropriate testing with the dispatched					
	technician					6 17
VERIZON	RCCC to update work activity in required systems					13 36
	RCCC to log DMARC order information and/or testing results in WFA/C					5 38
	FMC receives and reviews the loop qualification form from the RCCC				In Step 501	10 32
VERIZON	FMC researches the LFACS database for terminal location, cable count, and telephone					
	number(s)				in Step 501	16 65
	FMC reviews cross-reference dictionary for plat number(s)				In Step 501	8 22
VERIZON	FMC pulls cable plat(s) for aerial and underground route				In Step 501	11 41
VERIZON	FMC determines from the cable plat(s) the presence or absence of load coils, bridged					
	taps or whether facilities are on DLC				in Step 501	20 40
VERIZON	FMC creates worksheet indicating the length of the run, the gauge of the wire and					
	location of any bridged tap(s), load coils or DLC				In Step 501	21 95
VERIZON	FMC completes loop make-up form from the worksheet				In Step 501	9 17
VERIZON	FMC updates LFACS DB with length, gauge, bridged tap(s), load coils and DLC					
	information and update LIVEWIRE with ADSL loop length				In Step 501	11 33
VERIZON	FMC forwards information to the NMC				In Step 501	7 41
	•					

^{*} Verizon Forward-Looking Time equals Current Time x Typical Occurrence Factor x Forward-Looking Adjustment Factor

Engineering Work Order

Assumptions

Source of assumptions: Attachment A to AT&T/WCom NRC Panel Reply (paras. 24-25), unless otherwise noted

Tasks and times should be based on forward-looking processes

Condition one pair at a time (Virginia Arbitration Order at paras 641-2)

Applies once per service order (Virginia Arbitration Order at paras. 643)

Labor charged at the rate for FMAC (Source for Rate AT&T/WCom NRCM Input Records, General Labor Rates)

Step No	Step Description	Time (minutes)	Probability	Total Time (minutes)	No of Pairs at a Time	Time per Pair (minutes)	Labor Rate (\$/hour)	Cost without Overhead	VERIZON Fwd-Looking Time *
	Design work requirement (e.g., remove bridged tap(s), remove load coils) after research								
701	of cable plat(s), draw schematic of work required including outside plant locations	10	100%	10	1	10	\$47 25	\$7 88	171 82
702	Update LFACS and LIVEWIRE	5	100%	5	1	5	\$47 25	\$3 94	45 97
703	Send copies of engineering work order to Construction and Accounting	5	100%	5	1	5	\$47 25	\$3 94	20 02
	Receive completion notice from Construction and final post the work order on the cable								
704	plat(s)	10	100%	10	1	10	\$47 25	\$7 88	54 41
	Total Cost (without overhead)					30		\$23.63	695 7
						<u>'</u>		•	
VERIZON	Upon request for an Engineering Work Order, acquire work order number								5 67
	Prepare field notes and contact telephone numbers								78 22
VERIZON	Design work requirement (e.g., remove bridged tap(s), remove load coils) after research								
VEDITON	of cable plat(s)								in Step 701
	Draw schematic of work required including outside plant locations								In Step 701
	Check for and obtain any necessary permits								90 31
VERIZON	Send schematic to Engineering Clerk for drafting of work print and preposting of cable								4404
VEDIZON	plat(s)								14 81 10 50
	Receive schematic from engineer for drafting								79 83
	Complete the work print								79 63 23 66
	Pre-post cable plat(s) Update ŁFACS and LIVEWIRE								In Step 702
	Forward completed work product to Engineer								6 43
	Review final design from drafting								15 35
	Acquire necessary and appropriate approval								17 81
	Schedule work with Construction								24 34
	Send copies of engineering work order to Construction and Accounting								In Step 703
	Receive completion notice from Construction (Loop Engineer)								14 00
	Complete and forward billing information to Special Billing Unit								22 55
	Receive completion notice from Construction and final post the work order on the cable								22 00
, , , , , , ,	plat(s) (Draftsperson)								In Step 704
	F(-) ()								p , v -

^{*} Verizon Forward-Looking Time equals Current Time x Typical Occurrence Factor x Forward-Looking Adjustment Factor

Load Coil Removal from Loops Greater than 18,000 feet

Assumptions

Source of assumptions Attachment A to AT&T/WCom NRC Panel Reply (para. 11), unless otherwise noted

Remove load coils from 3 locations on loop, on average

- 2 locations in underground and 1 location in aerial/buried (50% probability each)

Underground work requires 2 technicians, aerial or buried requires only 1

Remove coils from one pair at a time (Virginia Arbitration Order at para 641)

- Steps listed in Attachment A para 11 assumed conditioning of multiple loops at a time, therefore, steps unnecessary for conditioning a single loop have been removed
- Times for certain steps are conservatively high, because they were not adjusted downward to reflect conditioning a single loop. Alternate times are provided for comparison Labor charged at the rate for Splicing Tech (Source for Rate. AT&T/WCom NRCM Input Records, General Labor Rates)

Step No	Step Description	Time (minutes) from Att A	Time (minutes) w/ adjustment (for comparison)	No of Technicians	No of Locations (Probability)	Total Time (minutes)	No of Pairs at a Time	Time per Pair (minutes)	Labor Rate (\$/hour)	Cost without Overhead	VERIZON Fwd- Looking Time *
	Underground Cable Load Coil Removal in a Manhole (per location)										
601	Travel time to underground splice location	20	20	2	2	80	1	80	\$48 94	\$65 25	243 44
602	Set up work area protection and underground work site	5	5	2	2	20	1	20	\$48 94	\$16 31	107 23
603	Pump and ventilate manhole	15	15	2	2	60	1	60	\$48 94	\$48 94	485 47
604	Buffer cable / Rerack cable / set up splice	5	5	2	2	20	1	20	\$48 94	\$16 31	207 19
605	Open splice case	5	5	2	2	20	1	20	\$48 94	\$16 31	156 00
606	identify pair to be deloaded	5	2	2	2	20	1	20	\$48 94	\$16 31	201 75
607	Remove / sever connection from main cable to load 'in' & 'out' taps	3	05	2	2	12	1	12	\$48 94	\$9 79	43 71
608	Rejoin / splice pair through main cable	5	0.5	2	2	20	1	20	\$4 8 94	\$16 31	60 25
609	Clean, reseal, and close splice case	10	10	2	2	40	1	40	\$48 94	\$32 63	160 36
610	Rack cables, pressure test cables in manhole	10	10	2	2	40	1	40	\$48 94	\$32 63	-
611	Close down manhole, stow tools, break down work area protection	10	10	2	2	40	1	40	\$48 94	\$32.63	125 89
	Aerial Cable Load Coil Removal at a Pole (per location 50% probability of	occurrence)									
612	Travel time to aerial splice location from underground splice location	10	10	1	0.5	5	1	5	\$48 94	\$4 08	121 72
613	Set up work area protection	5	5	1	0.5	2.5	1	25	\$48 94	\$2.04	53 61
614	Set up ladder or bucket truck	10	10	1	0.5	5	1	5	\$48 94	\$4 08	53 94
605	Open splice case	5	5	1	0.5	2.5	1	2.5	\$48 94	\$2 04	78 00
615	Identify PIC pair to be deloaded	2	1	1	0.5	1	1	1	\$48 94	\$0.82	100 88
607	Remove / sever connection from main cable to load 'in' & 'out' taps	3	0.5	1	0.5	15	1	15	\$48 94	\$1 22	21 86
608	Rejoin / splice pair through main cable	5	0.5	1	0.5	25	1	2.5	\$48 94	\$2.04	30 13
609	Clean, reseal, and close splice case	10	10	1	05	5	1	5	\$48 94	\$4 08	80 18
616	Secure splice case to strand and clean up work area.	10	10	1	0.5	5	1	5	\$48 94	\$4 08	-
617	Close down aenal site, stow tools, break down work area protection	10	10	i	0.5	5	1	5	\$48 94	\$4 08	62 94
	Burred Cable Load Coil Removal at a Pedestal (per location 50% probabil	ity of occurrence	si e								
618	Travel time to buried splice location from underground splice location	10	10	1	0.5	5	1	5	\$48 94	\$4 08	
619	Set up traffic cone at rear bumper of truck	10	1	1	05	05	;	0.5	\$48 94	\$0.41	
		2	2	1	05	1	1	1	\$48 94	\$0.82	
620	Walk to site & open splice pedestal	2	1	1	05	1	1	1	\$48 94	\$0.82 \$0.82	
615	Identify PIC pair to be deloaded Remove / sever connection from main cable to load 'in' & 'out' taps	3	05	1	05	15	1	15	\$48 94 \$48 94	\$0.82 \$1.22	
607	Reion / splice pair through main cable	5 5	05	1	05	25	1	15 25	\$48 94 \$48 94	\$2.04	
608	. ,	3	3	1	05	15	1	15	\$48 94	\$2.04 \$1.22	
621	Secure splice within buried pedestal and clean up work area.	3 5	ა 5	1	05 05	2.5	1	25	\$48 94 \$48 94	•	
622	Close down buned site, stow tools and traffic cone	5	5	1	ŲĐ	2.5		45	\$45 94	\$2 04	

ATTACHMENT A
DECLARATION OF LOUIS MINION
CC DOCKET NOS 00-218, 00-249 AND 00-251
NOVEMBER 18, 2003

Load Coil Removal from Loops Greater than 18,000 feet

Assumptions

Source of assumptions: Attachment A to AT&T/WCom NRC Panel Reply (para. 11), unless otherwise noted

Remove load coils from 3 locations on loop, on average

- 2 locations in underground and 1 location in aerial/buried (50% probability each)
- Underground work requires 2 technicians, aenal or buried requires only 1

Remove coils from one pair at a time (Virginia Arbitration Order at para 641)

- Steps listed in Attachment A para 11 assumed conditioning of multiple loops at a time, therefore, steps unnecessary for conditioning a single loop have been removed
- Times for certain steps are conservatively high, because they were not adjusted downward to reflect conditioning a single loop. Alternate times are provided for comparison Labor charged at the rate for Splicing Tech (Source for Rate. AT&T/WCom NRCM Input Records, General Labor Rates)

Step No	Step Description Total Cost (without overhead)	Time (minutes) from Att A	Time (minutes) w/ adjustment (for comparison)	No of Technicians	No of Locations (Probability)	Total Time (നாயtes)	No of Pairs at a Time	Time per Pair (minutes) 422.5	Labor Rate (\$/hour)	Cost without Overhead \$344 62	VERIZON Fwd- Looking Time *	
UNDERG	ROUND LOAD COIL REMOVAL	Percent	Underground	50 1%								
VZ CMC	CMC builds work operations in ECRIS / CMA / MACEM										53 00	
VZ CMC	CMC completes the work operations in ECRIS / CMA / MACEM										36 50	
VZ CMC	CMC closes out the order and sends the completion notice to Engineering										15 04	
VZ OSP	Receive work assignment from foreman and travel to job site										In Step 601 In Step 602	
VZ OSP												
VZ OSP												
VZ OSP												
VZ OSP												
VZ OSP												
VZ OSP												
VZ OSP											In Step 606	
VZ OSP	After identification of the pair, monitor to ensure there is no traffic										In Step 607	
VZ OSP	Cut off pair at both ends (one pair from the splice case to the load coil and one pair from	om the load o	coil back to the	splice case) a	nd splice pai	r through					In Step 608	
VZ OSP	Close splice case										In Step 609	
VZ OSP	Tear down site set up and remove work area protection										In Step 611	
AEDIAI I	OAD COIL REMOVAL		Percent Aerial	49.9%								
VZ CMC	CMC builds work operations in ECRIS / CMA / MACEM		orcom Admi	40.070							53 00	
VZ CMC	CMC completes the work operations in ECRIS / CMA / MACEM										36 50	
VZ CMC	CMC closes out the order and send the completion notice to Engineering										15 04	
VZ OSP	Receive work assignment from foreman and travel to job site										In Step 612	
VZ OSP	Upon arrival at job site, set up work area protection										In Step 613	
VZ OSP	If site is aerial, set up bucket truck and/or ladder and platform										In Step 614	
VZ OSP	Identify and open the splice case										In Step 605	
VŽ OSP	If required, send tone from the central office on the pair to be unloaded (requires a cer	ntral office te	chnician) Prov	rde estimate e	of the percent	age of jobs	that will re-	quire tone			In Step 615	
VZ OSP	After identification of the pair, monitor to ensure there is no traffic		•		•						In Step 607	
VZ OSP	Cut off pair at both ends (one pair from the splice case to the load coil and one pair fro	om the load o	coil back to the	splice case) a	ind splice par	r through					In Step 608	
VZ OSP	Close splice case										In Step 609	
VZ OSP	Tear down site set up and remove work area protection										In Step 617	

^{*} Verizon Forward-Looking Time equals Current Time x Typical Occurrence Factor x Forward-Looking Adjustment Factor

```
Less down site set up and remove work area protection.
                                                                                                                                                                                                                                                                                                                         dSO ZA
 / La deas ul
                                                                                                                                                                                                                                                                                            PSEC SONGS PSOFT
 609 densul
                                                                                                                                                                                                                                                                                                                         ASO 7A
                                                                                                                                                                                                                                                           Crit off bridge tap and spice pair through.
                                                                                                                                                                                                                                                                                                                         dSO ZA
 SSB qesi2ni
                                                                                                                                                                                                                            After identification of the pair, monitor to ensure there is no traffic
 u ഉദ്രർ ട്രേമ
                                                                                                                                                                                                                                                                                                                         dSO ZA
                                      il requires acceptations from the certain office on the pair from which bridged tay as to be removed (requires a central office technicaen). Provide estimate of the percentage of Jobs that will require
 P 29 dens u
                                                                                                                                                                                                                                                                       quantity and open are space case
                                                                                                                                                                                                                                                                                                                          ASO 7A
 cos date u
                                                                                                                                                                                                                                 If either is serial seet up bucket truck sind/or tedder and platform
                                                                                                                                                                                                                                                                                                                         also za
 119 days ut
                                                                                                                                                                                                                                               Upon anneal at job site, set up work area protection.
                                                                                                                                                                                                                                                                                                                         dSO ZA
 era qafent
                                                                                                                                                                                                                                  Receive work assignment from foremen and travel to job site
                                                                                                                                                                                                                                                                                                                         dSO ZA
 CS8 qeal2 ni
                                                                                                                                                                                                                          Close on the order and send the completion notice to Engineering
                                                                                                                                                                                                                                                                                                                         AS CMC
     94 11
                                                                                                                                                                                                                                      AERIAL BRENGED TAP REMOYAL

Build work operators in ECRIS / CMA / MACEM

Complete the work operations in ECRIS / CMA / MACEM
     E9 11
                                                                                                                                                                                                                                                                                                                         OWED ZA
     OO AL
                                                                                                                                               PERCENT AERIAL
                                                                                                                                                                                                                                         Tear down site set up and remove work area protection.
                                                                                                                                                                                                                                                                                                                         aso za
     98 1#
                                                                                                                                                                                                                                                                                             Close apline oses
                                                                                                                                                                                                                                                                                                                         dSO ZA
     23.42
                                                                                                                                                                                                                                                            On our purgle rate abuse bear guorifur
                                                                                                                                                                                                                                                                                                                          dSO ZA
      62.91
                                                                                                                                                                                                                            WARE IGEORGEOUS OF The pair shortest to ensure there is no traine.
                                                                                                                                                                                                                                                                                                                          490 ZA
     Z9"*L
                                      in requires a contract and the percentage of the percentage of the commentage of the commentage of the percentage of the three sections and three contracts and three percentages of the three three contracts and three percentages of the contract and three percentages of three perce
                                                                                                                                                                                                                                                                                                                        490.74
      #8 LS
                                                                                                                                                                                                                                                                        (qeuqu's surg observative abace case
                                                                                                                                                                                                                                                                                                                         dSO ZA
      95 00
                                                                                                                                                                                                                        If underground set up the meade of the menhole for work to be done
                                                                                                                                                                                                                                                                                                                         aso za
      90 69
                                                                                                                                                                            It underground test the markole environment to ensure there is no combustible ges prior to entering
                                                                                                                                                                                                                                                                                                                         dSO ZA
      23.94
                                                                                                                                                                                                                                                        II underground pump martiole if necessary
                                                                                                                                                                                                                                                                                                                        aSO Z∧
     *LR9
                                                          it siles es underground oben martinole surd pegar purgang the martinole to dissipate any stagmart gas, ensure against oxygen definaeroy and provide a complete an chandre in the martinole
                                                                                                                                                                                                                                                                                                                        aso za
     QZ 89
                                                                                                                                                                                                                                               AZ OSP Uppor arrival at Job sake seet up work area profession.
     32 V¢
                                                                                                                                                                                                                                  alie doj ot levert bris rismeno) mont imerrigiasa show evisceA
                                                                                                                                                                                                                                                                                                                         also za
                                                                                                                                                                                                                           Close out the order and send the completion notice to Engineering
                                                                                                                                                                                                                                       Complete the work operations in ECRIS / CMA / MACEM
                                                                                                                                                                                                                                                                                                                         AZ CMC
     11 63
                                                                                                                                                                                                                                                  Build work operations in ECPIS/CMA / MACEM
                                                                                                                                                                                                                                                                                                                         AZ CWC
     00.81
                                                                                                                                                                                                                                                       INDERGROUND BRIDGED IN BENOAVE
                                                                                                                                                PCT UNDERGROUND
                                                                                                                                                                                                                                                                        Total Cost (without overhead)
   $44 45 307 1
                                                       5.45
                                                                                                                                                                                                                                                Glose down buned site stow tools and traffic come
                                                                                                                                                                                                                                                                                                                            ZZ9
                                          18'R15
                                                             92
                                                                                                                                                                                                                                  Secure spine within buried pedestral and clean up work area.
                                                                                                                                                                                                                                                                                                                            129
                          27.15
                                          ******
                                                            91
                                                                                              12
                                                                                                                6.0
                                                                                                                                                                                                                                                        Hemove bridging modules or cut & clear pair
                                                                                                                                                                                                                                                                                                                           979
                                                                                                                3.0
                                                                                                                                                        \mathbf{g}_{0}
                          20'05
                                          249.84
                                                                                                                                                                                                                                                            Identify PIC page for bridged tap removal
                                                                                                                                                                                                                                                                                                                            179
                          20.02
                                          248.94
                                                                                                                                                        70
                                                                                                                                                                                                                                                                     Mark to age & open spince pedestal
                                                                                                                                                                                                                                                                                                                            079
                           20.02
                                                                                                                                                         2
                                                                                                                                                                              2
                                                                                                                                                                                                                                                            Set up traffic come at near bumper of truck
                                          16 81S
                                                             50
                                                                                              G.U
                                                                                                                ÇΩ
                                                                                                                                                                                                                                                                     Travel time to buried splice location
                                                                                                                                                        50
                          91.8$
                                          $48°84
                                                             nι
                                                                                               01
                                                                                                                 90
                                                                                                                                                                                           Buried Cable Bridged Tap Removal at a Padestal (50% probability of occurrence)
                                                                                                                                                        ٥ı
                                                                                                                                                                                                                         Close down sensi site stow tools break down work area protection
      20 98
                          80 15
                                          #6 B#$
                                                                                                                                                                                                                                              Secure space case to strand and clear up work area.
                                                                                                                                                                              οL
                                                                                                                 3.0
                                                                                                                                                        1.0
                                                                                                                                                                              10
                                                                                                                                                                                                                                                                    Clean reseat and dose spince case
                                                                                                                                                                                                                                                                                                                            609
                          80 15
                                          *8'8**
                                                                                               G
                                                                                                                910
                                                                                                                                                        01
                                                                                                                                                        20
                                                                                                                                                                              5
                                                                                                                                                                                                                                                        Remove bridging modules or cut & clear pair
                                                                                                                                                                                                                                                                                                                            625
      OF CI
                           78 D$
                                          96'A9$
                                                                                                                 2.0
                                                                                                                                                        90
                                                                                                                                                                                                                                                              Identify PIC pair for bridged tap removal
                                                                                                                                                                                                                                                                                                                            #79
                                                                                                                 5.0
      ZR GZ
                           20.65
                                          248.84
                                                                                                                                                                                                                                                                                             Open aplice case
                                                                                                                                                                                                                                                                                                                            909
      59 00
                           $5 04
                                          16'81S
                                                             gΖ
                                                                                                                                                                                                                                                                              Set up ladder or bucket truck
                                                                                                                                                                                                                                                                                                                            119
                                                                                                                 g0
                                                                                                                                                        10
                                                                                                                                                                              01
                                                                                                                                                                                                                                                                                 Set up work area protection
      18 11
                           10 2$
                                          16.812
                                                             5.5
                                                                                               5.5
                                                                                                                 50
                                                                                                                                                         Q
                                                                                                                                                                                                                                                                      LISINGS TRUGG TO SIGNAL SIGNACE FOCUSTIONS
                                                                                                                                                                                                                                                                                                                            623
                                                                                                                                                                              50
                                                                                                                                                        0.7
      Z9'0#
                          2819
                                                                                                                                                                                                  Aerial Cable Bridged Tap Removel at a Pole (50% probability of occurrence)
                                                                                                                                                                                                                                                                                               Step No Step Description
(mirutes) ($/hour) Overhead Loolong Time
                                                                         amil
                                                                                        companson) Techmosms (Probability) (minutes)
Leabor Rate without VERIZON Fwd
                                                                                                                                                                   most (estumm)
                                                           Locations Total Time Parsata and
                                                                                                                               Jo oN
                                                                                                                                                        (tot
                                                         No of Time per
                                                                                                                                                    adjustment
                                                                                                                                                                            5mil
                            150/1
                                                                                                               JO ON
                                                                                                                                                   W (SSALINI)
                                                                                                                                                        əmiT
```

Labor charged at the rate for Spicing Tech (Source for Rate. AT &T MYC om MRCM imput Records, General Labor Rates)

Timps for certain steps are conservatively high because they were not adjusted downward to reflect conditioning a single toop. Afternate times are provided for comparison

Stops listed in Attachment A para. It assumed conditioning of multiple loops at a time therefore alege unrecessary for conditioning a single loop have been removed

Remove bridged tap from one pair at a time (Virginia Arbitration Order at para, 642)

"Vertzon Forward-Loolang Time equals Current Time x Typicat Occurrence Factor x Forward-Loolang Adjustiment Factor

Aenal or buned work requires only 1 technician

Stidged Tap Removal - Single Occurrence

^{- 50%} probability each that bridged tap will be in sental or bured - Bridged tap should not occur in underground (near central office)

Hemove bridged tap from a single location of 100p.

⁽⁵⁴⁴ area of an inches that an inches the condition of th

meanipulorise. Attachment A to ATATANCom NRC Penal Reply (peral. 12), unless otherwise noted

Labor Rates)

ATTACHMENT A

CC DOCKET NOS 00-218, 00-249 AND 00-251

NOVEMBER 18, 2003

Line Sharing - Connect

Install two cross connects (jumpers) and remove one jumper (AT&TWCom URC Panel Repty at 119) Labor charged at the rate for FCC and LAC (Source for rates AT&TWCom NRCM Input Records, General
Line sharing is ordered only on working line (AT&T/WCom NRC Panel Reply at 121)
Assumptions Source of essumptions AT&T/WCom MRCM (UNE Loop Connect), unless otherwise noted

		-	-		•			
lnoluded Excluded	202 e	67 9\$		18			Total Cost (without overhead)	
Premises Visit	3 30	\$1 OS	99 07\$	91	%001	31	Close order FCC Copper%	SIO
							Close Order Steps	509
	incl above	20 50	99 01/\$	6.0	%7	٩١	Pall Out Resolve fallout LAC	504
	98.0	£0 0\$	99 07\$	90 0	%7	5.9	Fall Out Puli and analyze order LAC	203
	55.5	55.50					sdajs ino ilaij	861
	avods lon!	Z + O\$	240 99	0.25	%001	0.55	Perform continuity test (check dist tone and AMI)	97
	evods loni	2034	99 01/\$	90	%001	9.0	Remove jumper from MDF	6∠
	evods inci	89.0\$	99 07\$	i	%001	į.	Install cross connect from MDF to CFA appearance	Þ۷
	8 23	89.0\$	99 07\$	i	%001	Ĺ	treatall cross connect from MDF to CFA appearance	ÞΔ
	030	00 00	35 57 4	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•	Element Type Detail Steps	1.Z
	86 €	89 0\$	99 07\$	i.	%S	So	Travel time to the central office CO non staffed, # orders per trip, Copper	99
	000	00 04	00 010	•	,02		eqal2 amiT lavaiT	99
	09 9	69 1\$	240 88	5 2	%001	5 2	Pull and analyze order FCC, (copper%)	817
	033	00 10	30 07 3	30	70007	30	Pull and Analyze Order Steps	47
	гоожнод тите.	Overhead	("nou/s)	Probability	Ргораріічу	(windtes)	Slep Description	
	VERIZON FWG-	MICHOUT	Hate	x (səmuru)		Tıme		
	F3 140210171	Cost	Labor	Tıme		-		oM qet2

* Yenzon Forward-Looking Time equals Current Time x Typical Occurrence Factor x Forward-Looking Adjustment Factor

Line Sharing - Disconnect

Assumptions
Source of assumptions AT&TWCom NRCM (UNE Loop Disconnect), unless otherwise noted
Remove two jumpers (cross connects) and install one cross connect (AT&TWCom NRC Panel Rebuttal at 119)
Labor charged at the rate for FCC and LAC (Source for rates AT&TWCom NRCM Input Records, General Labor Rates)

151	919\$		9 /			Total Cost (without overhead)	
5.6	20 1\$	240 99	91	%001	91	Close order FCC Copper%	510
,,	55 75	00 07 4		7444		Close Order Sleps	509
	20 50	99 07\$	€0	%Z	91	DAU fallouf LAC	204
	20 03	99 07\$	90.0	%7	5 2	Fati Out Pull and analyze order LAC	503
		••••				Fall Out Steps	861
	Z1 0\$	99 01/\$	0.58	%001	0 52	Perform continuity test (check disl tone and ANI)	9/
	89 0\$	240 99	l.	%001	ı	Install cross connect from MDF to CFA appearance	ÞΔ
	2034	99 07\$	9.0	%001	0.2	ADM most sequel evomes	64
	\$0.34	99 07\$	90	%001	9.0	ADM most regimn, evomeA	62
						Element Type Detail Steps	14
21.9	89 0\$	99 07\$	1	%S	SO	Travel time to the central office CO non staffed, # orders per frip, Copper	99
						eqete emiT lavanT	99
979	69 1\$	99 01/\$	5 2	%00 l	5 2	Pull and analyze order FCC, (copper%)	48
						sqaf2 rabnO azviertA bne lluq	∠ ₹
гоокий нше	Overhead	(unou/s)	Ргорафийу	Ргорарііцу	(sə)nuıw)	2geb Descubtion	
	Northw	etsR (tuod\?)	x (se)unim)	Properties	fime (set)		
VERIZON Fwd-	1soO	10 des J	Time v (southoire)		20011		oN qesi2
	1000	10de I	omiT.				old got?

AT&T/MCI -- VIRGINIA COMPLIANCE FILING ON ADDITIONAL BROADBAND NRCS

ATTACHMENT A
DECLARATION OF LOUIS MINION
CC DOCKET NOS 00-218, 00-249 AND 00-251
NOVEMBER 18, 2003

	LINE SHARING CONNECT	VERIZON Fwd-Looking Time *
VZ NMC	Receive Local Service Request (LSR) from the CLEC and print, review type and confirm the order request for new installation and/or	
VZ NMC	Receive Local Service Request from the CLEC and print, review, type and confirm the order request for changes in existing account	0 22
VZ NMC	Respond and/or change CLEC's pending Local Service Request	0 67
	Access WFA/C to begin coordination process (Screener)	0.53
	Analyze order for work activity (Screener)	0 43
	Eliminate roadblooks from the order (Screener)	0 27
	Analyze order for related orders (CRO) (Screener)	0 35
	Assign order to Technician (Screener)	0 55
	Perform administrative checks	1 38
	Remove any facility roadblocks or problems	1 10
	Verify Provisioning NEW LINE installation has been performed by the field forces. (Check WFA/DO, call CSC, escalate-if necessary)	
	Update work activity in required systems	2 67
	Notify CLEC of line/circuit completion	1 06
	Log DMARC order information and/or testing results in WFA/C	1 66
	Complete the order	1 35
	On DD at end of tour, complete order in WFA/C	0 00
	If a CLEC postpones the order was a telephone call to the RCCC, enter JEP/MFC in WFA/C pending DD change	0.00
	If NO access on Line enter JEP/MFC in WFA/C & reschedule upon receipt of firm DD change	0 27
VZ ACCC	Assign outside plant and central office facilities for non-flowthrough service orders	In Step 203
VZAFC	Retrieve FOMS/TIRKS output (paper copy) and verify the information	In Step 48
VZCO	, , , , , ,	In Step 46
	Travel to remote/unmanned central office for the purpose of performing frame provisioning work	iii Siep 36
VZCO	Confirm the assignment by verifying that the cable and pair assignment is correct	7 08
1000	Notify RCCC of any troubles and obtain new assignment	7 08
VZCO	Place new cross connection(s) (including intermediate tie pairs) and test to insure	
	dial tone leaves the central office OK or circuit has continuity. Connect CLEC dial	l» (N-» 74
V7.00	tone/OE Appearance (port) to vertical cable and pair location on MDF	In Step 74
VZCO	If a problem occurs, resolve the problem with field installation technicians and the	4.00
	RCCC to insure that the CLEC can reach its end-user at the time of installation	4 69
VZCO	Complete order in FOMS/TIRKS	In Step 210
VZ OSP	Obtain Dispatch Info via CAT	15 49
VZ OSP	Travel from garage or previous job	28 74
VZ OSP	Gain Access to Prem and demarcation point / NID	24 25
VZ OSP	Locate terminal and/or cross-connect box feeding premises	16 36
VZ OSP	Contact MLAC, if necessary, for new pair assignment	4 99
VZ OSP	Work with Frame, and / or RCCC if necessary, for new pair assignment	4 33
VZ OSP	Place intermediate field X-Conn and NI (SI)	6 54
VZ OSP	Verify that TC dial tone is present on assigned facility	20 76
VZ OSP	Designate (tag) circuit for subsequent identification at demarcation point (NID, Term, SNI)	10 70
VZ OSP	Provide demarc info / location / circuit info not in the company's operating systems	2 75
VZ OSP	Field Tech enters completion into WFA	11 08
	LINE CHARING DISCOMMENT	VERIZON Fwd-Looking Time *
V7 BCCC	LINE SHARING DISCONNECT Access WFA/C to begin coordination process (Screener)	VEHIZON FWO-Looking Time 0.69
		0 34
	Analyze order for work activity (Screener)	034
	Eliminate roadblocks from the order (Screener)	032
	Analyze order for related orders (CRO) (Screener)	
	Assign order to Technician (Screener)	0.61
	On DD at end of tour, complete order in WFA/C	0 22
	If a CLEC postpones the order via a telephone call to the RCCC, enter JEP/MFC in WFA/C pending DD change	0 11
VZCO	Retrieve FOMS/TIRKS output (paper copy) and verify the information	In Step 48
VZCO	Travel to remote/unmanned central office for the purpose of performing frame provisioning work	In Step 56
VZCO	Complete order in FOMS/TIRKS	In Step 210

^{*} Verizon Forward-Looking Time equals Current Time x Typical Occurrence Factor x Forward-Looking Adjustment Factor